




The Art of Clamping

BOMBAY ENTERPRISES

75, Nagdevi Cross Lane,
Krishna Building, First Floor,
MUMBAI - 400 003

Call : 91365 24819 or 91365 33973
email : bombay.ent99@gmail.com

CLAMPING STUD

IS:13178 - 1991 / DIN 6379 - 1991



SIZE

M8
M10
M12
M16
M20
M24
M30

LENGTH RANGE

40 TO 1000 MM

HARDNESS 25 TO 28 HRC

BLACK FINISH

ROLLED THREADS

MOULD STUD



SIZE

M8
M10
M12
M16
M20
M24
M30

LENGTH RANGE

40 TO 1000 MM


HARDNESS 25 TO 28 HRC

BLACK FINISH

ROLLED THREADS

HEX NUT

DIN 6330 - 1991



SIZE


M8
M10
M12
M16
M20
M24
M30

HARDNESS 25 TO 28 HRC

BLACK FINISH

PRECISELY TAPPED

EXTENSION NUT



SIZE

M8
M10
M12
M16
M20
M24
M30


HARDNESS 25 TO 28 HRC

BLACK FINISH

PRECISELY TAPPED

T - NUT

IS:2015 - 1977



SIZE

8M6
10M8
12M10
14M12
16M12
18M12
18M16
22M20
28M24
36M30

HARDNESS 25 TO 28 HRC

BLACK FINISH

PRECISELY TAPPED

T - BOLT

IS:2014 - 1996 / DIN 787 - 1991



SIZE

M10

M12

M16

M20

M24

M30

LENGTH RANGE
40 TO 600 MM

FORGED HEAD


HARDNESS 25 TO 28 HRC

BLACK FINISH

ROLLED THREADS

T - BOLT (SQUARE HEAD)

IS:2014 - 1996 / DIN 787 - 1991



SIZE

M12

M16

M20

M24

M30

LENGTH RANGE
40 TO 600 MM

FORGED HEAD


HARDNESS 25 TO 28 HRC

BLACK FINISH

ROLLED THREADS

FLANGE NUT

IS:7795 - 1975 / DIN 6331 - 1991



SIZE

M8

M10

M12

M16

M20

M24

M30


HARDNESS 25 TO 28 HRC

BLACK FINISH

PRECISELY TAPPED

MACHINED PLAIN WASHER

DIN 6340 - 1987



SIZE

M8

M10

M12

M16

M20

M24

M30

HARDNESS 25 TO 28 HRC

BLACK FINISH

TURNING ON CNC MACHINE

SPHERICAL WASHER WITH CONICAL SEAT

IS:4297 - 1996



SIZE

M8

M10

M12

M16

M20

M24

M30

HARDNESS 25 TO 28 HRC

BLACK FINISH

TURNING ON CNC MACHINE


C - WASHER

IS:4291 - 1996 DIN 6372 - 1972

**SIZE**

M8
 M10
 M12
 M16
 M20
 M24
 M30

HARDNESS 25 TO 28 HRC
 BLACK FINISH
 TURNING ON CNC MACHINE


FLAT CLAMP or PLATE CLAMP**T-SLOT**

8
 10
 12
 14
 18
 20
 22

HARDNESS 25 TO 28 HRC
 BLACK FINISH
 WITH ALLEN BOLT & T-NUT

STRAP CLAMP - REGULAR

IS:4292 - 1984


**SIZE**

M8
 M10
 M12
 M16
 M20
 M24
 M30

LENGTH UPTO 350 MM
 HARDNESS 25 TO 28 HRC
 BLACK FINISH

STRAP CLAMP - SERRATED

IS:4292 - 1984

**SIZE**

M8
 M10
 M12
 M16
 M20
 M24
 M30

LENGTH UPTO 350 MM
 HARDNESS 25 TO 28 HRC
 BLACK FINISH
 SERRATED FOR USE WITH STEP BLOCK

STRAP CLAMP - TAPPED HOLE


IS:4292 - 1984

**SIZE**

M8
 M10
 M12
 M16
 M20
 M24
 M30


LENGTH UPTO 350 MM
 HARDNESS 25 TO 28 HRC
 BLACK FINISH
 TAPPED HOLE FOR QUICK SETTING

STRAP CLAMP - CHAMFERED
IS:4292 - 1984




SIZE	LENGTH UPTO 350 MM
M8	HARDNESS 25 TO 28 HRC
M10	BLACK FINISH
M12	
M16	CHAMFERED FRONT FOR
M20	ACCESSING SMALLER
M24	CLAMPING AREA
M30	

OPEN ENDED STRAP CLAMP
IS:4293 - 1984



SIZE	LENGTH UPTO 350 MM
M8	HARDNESS 25 TO 28 HRC
M10	BLACK FINISH
M12	
M16	OPEN END FACILITATES
M20	FREQUENT CHANGE OF
M24	WORKPIECE
M30	

MOULD CLAMP
with heavy support bolt




SIZE	LENGTH UPTO 200 MM
M12	HARDNESS 25 TO 28 HRC
M16	BLACK FINISH
M20	
M24	DESIGNED FOR RIGID AND
	COMPACT CLAMPING

MOULD CLAMP
with Hex Stud




SIZE	LENGTH UPTO 200 MM
M12	HARDNESS 25 TO 28 HRC
M16	BLACK FINISH
M20	
M24	DESIGNED TO CHANGE
	FREQUENT CLAMPING SPOT

GOOSE NECK CLAMP
IS: 4279 - 1975



SIZE	LENGTH UPTO 200 MM
M12	HARDNESS 25 TO 28 HRC
M16	BLACK FINISH
M20	
M24	DESIGNED FOR 2 WAY
	CLAMPING LIKE CASTING
	OR HUGE WORKPIECE

ADJUSTABLE HEIGHT PLATE



SIZE	CARBON STEEL PLATES
2 - 25 MM	BLACK FINISH
2 - 50 MM	
2 - 75 MM	GIVES EXACT SUPPORT
2 - 100 MM	HEIGHT BY ADDING
2 - 125 MM	REQUIRED NUMBER OF
2 - 150 MM	PLATES

SCREW JACK




SIZE	HARDNESS 25 TO 28 HRC
45 - 50 MM	TRAPEZOIDAL THREAD
50 - 70 MM	
70 - 100 MM	HEIGHT SETTING
100 - 140 MM	ADJUSTABLE TO
140 - 210 MM	WORKPIECE HEIGHT
190 - 300 MM	BLACK FINISH

SPRING PLUNGER



SIZE	HARDNESS 25 TO 28 HRC
5 X 12 MM	
6 X 17 MM	
8 X 20 MM	SLOTTED TYPE &
10 X 25 MM	SOCKET TYPE
12 X 28 MM	
16 X 35 MM	BLACK FINISH

STEP BLOCK



SIZE	HARDENED
22 - 50 MM	POSITIVE LOCKING
38 - 107 MM	
69 - 208 MM	BLACK FINISH

SELF ALIGNING PAD

SIZE : M6, M8, M10, M12, M16, M20



SERRATED SURFACE &
PLAIN SURFACE

TYPES:

MALE THREAD 'F' & 'C' TYPE

FEMALE THREAD 'F' & 'C' TYPE

ADJUSTABLE MALE THREAD 'F' & 'C' TYPE

EYE BOLT
IS: 4190 - 1984



M10 TO M100

FORGED

FINISH AS PER
REQUIREMENT

WITH TEST CERTIFICATE

TOGGLE CLAMP



VERTICAL
HORIZONTAL
PUSH PULL
LATCH TYPE

PRESS TOOLS



DIE SPRING
BALL CAGE
EJECTOR PIN
PIERCING PUNCH
DIE SET
PILLAR SET
GUIDE PIN
SPRUE BUSH
PU BUSH
DIE ACCESSORIES
MOULD ACCESSORIES

BOMBAY ENTERPRISES

75, NAGDEVI CROSS LANE,
FIRST FLOOR, MUMBAI - 400 003
Call/WhatsApp : 91365 24819 or 91365 33973
eMail : bombay.ent99@gmail.com

Importer of CNC VMC Tooling & Cutting Tools
Manufacturer of Clamping Elements
Complete Tool & Work Holding Solutions